

## Skill name

## Painting and Decorating

## Criteria

## Mark

A	Priming, Glossing, Border	20.00
B	Wallpapering	17.00
C	Free Technique	10.00
D	Lettering and design	36.00
E	Mural and Colour Matching	17.00

Sub Criteria ID	Sub Criteria Name or Description	Aspect Type O = Obj S = Sub J = Judg	Aspect - Description	Judg Score
A1	Painting of Profile (Mouldings)			
		O	edge 1 (outside left, by tape)	
		O	edge 2 (outside right, by tape)	
		O	edge 3 (inside right, by hand)	
		O	edge 4 (inside left, by hand)	
		O	edge 5 (outside up, by tape)	
		O	edge 8 (outside down, by tape)	
		O	edge 7 (inside down, by hand)	

A2	Painting of Door Outer Panel and moulding	<input type="radio"/>	edge 6 (inside up, by hand)		
		<input type="radio"/>	angle 1 (outside and inside, left up)		
		<input type="radio"/>	angle 2 (outside and inside, right up)		
		<input type="radio"/>	angle 3 (outside and inside, left down)		
		<input type="radio"/>	angle 4 (outside and inside, right down)		
		<input type="radio"/>	Surface profile Opacity		
		<input type="radio"/>	Brush/Roller Marks - Outer Panel		
		<input type="radio"/>	Missed Areas - Outer Panel		
		<input type="radio"/>	Runs - Outer Panel		
		<input type="radio"/>	Nibs - Outer Panel		
A3	Painting of Door Inner Panel	<input type="radio"/>	Cleanliness - overall door		
		<input type="radio"/>	Opacity - Outer Panel		
		<input type="radio"/>	Brush/Roller Marks - Inner Panel		
		<input type="radio"/>	Missed Areas - Inner Panel		
		<input type="radio"/>	Runs - Inner Panel		
		<input type="radio"/>	Nibs - Inner Panel		
		<input type="radio"/>	Opacity - Inner Panel		
A4	Door frame and skirtings	<input type="radio"/>	Cleanliness - Surrounding area		

		J	Quality of finish; to include cutting in, misses, runs, nibs and even	0 1 2 3
Sub Criteria ID	Sub Criteria Name or Description	Aspect Type O = Obj S = Sub J = Judg	Aspect - Description	Judg Score
B1	Matching of Wallpaper	J	Matching of wallpaper in corner between 1.50m – 1.70 from the t	0 1 2 3
B2	Wallpaper Application	<ul style="list-style-type: none"> <li>O Wallpaper - Reference points</li> <li>O Surface - Trimming, top &amp; bottom skirting</li> <li>O Surface - Bubbles and lifting</li> <li>O Surface - Glue</li> <li>O Connection - Overlaps</li> <li>O Connection - Gaps</li> <li>O Connection - Corner Overlaps</li> <li>O Dimensional Accuracy - Vertical</li> <li>O Dimensional Accuracy - Position Top right Corner</li> <li>O Dimensional Accuracy - Horizontal</li> <li>O Surface - Trimming, door frame</li> </ul>		
Sub Criteria ID	Sub Criteria Name or Description	Aspect Type O = Obj S = Sub J = Judg	Aspect - Description	Judg Score
C1	Information Sheet - Free Choice			

C2	Technical Execution - Free Choice	O	Information sheet	0 1 2 3
		O	Colour concept	
C3	Artistic	O	Technical execution	
		O	Workmanship	
		O	Accurate implementation	
		J	Artistic composition	
Sub Criteria ID	Sub Criteria Name or Description	Aspect Type O = Obj S = Sub J = Judg	Aspect - Description	Judg Score
D1	Lettering	O	Lettering - Correct Colour	
		O	Lettering - Straight Lines and clean corners, 10 Letters (BRAZIL )	
		O	Lettering Opacity, 7 Letters (BRAZIL )	
		O	Lettering - Reference Points ( no visible reference lines or marks	
		O	Lettering Opacity, 4 Letters ( 2015)	
		O	Lettering - Dimensional Accuracy - Position 1 (BRAZIL)	
		O	Lettering - Dimensional Accuracy - Position 2 (2015)	
		O	Lettering - Dimensional Accuracy - Position 3 Horizontal (2015)	
		O	Lettering - Dimensional Accuracy - Position 4 Horizontal (BRAZIL)	
D2	Design	O	Design - Reference points	
		O	Design - Correct colour	
		O	Design - Straight lines and curves. Section 1	
		O	Design - Straight lines and curves. Section 2	
		O	Design - Straight lines and curves. Section 3	
		O	Design - Opacity. Section 1	

D3	Overall impresssion of Design	<div><div>O</div>Design - Opacity. Section 2</div> <div><div>O</div>Design - Clean corners. Section 1</div> <div><div>O</div>Design - Clean corners. Section 2</div> <div><div>O</div>Design - Clean corners. Section 3</div> <div><div>O</div>Design - Dimensional accuracy - Position 1</div> <div><div>O</div>Design - Dimensional accuracy - Position 2</div> <div><div>O</div>Design - Dimensional accuracy - Position 3</div> <div><div>O</div>Design - Dimensional accuracy - Position 4</div> <div><div>O</div>Design - Dimensional accuracy - Position 5</div> <div><div>O</div>Design - Dimensional accuracy - Position 6</div> <div><div>O</div>Design - Dimensional accuracy - Position 7</div> <div><div>O</div>Design - Opacity. Section 3</div> <div><div>J</div>Overall impression of design</div>	<div>0</div> <div>1</div> <div>2</div> <div>3</div>	
Sub Criteria ID	Sub Criteria Name or Description	Aspect Type O = Obj S = Sub J = Judg	Aspect - Description	Judg Score
E1	Mural - Speed Test	<div><div>O</div>Mural Speed Challenge</div>		
E2	Mural - Quality	<div><div>O</div>Mural - Clean surfaces</div> <div><div>O</div>Mural - Opacity</div> <div><div>O</div>Mural - Straight Lines</div> <div><div>O</div>Mural- Clean corners</div>		
E3	Mixing Tone	<div><div>O</div>Colour Match ( SAMPLE NEEDED)</div>		
E4	Mixing Shades	<div><div>O</div>Colour graduation ( SAMPLE NEEDED)</div>		
E5	Dimensional accuracy			

E6	Even colour graduation	O	Mural - Dimensional accuracy - Position 1	0 1 2 3
		O	Mural - Dimensional accuracy - Position 2	
		O	Mural - Dimensional accuracy - Position 3	
		J	Colour graduation	

Extra Aspect Description (Obj or Subj) OR Judgement Score Description (Judg only)	Requirement or Nominal Size (Obj Only)	WSSS Section	Max Mark
Correctly painted edge = 0.75 marks Deduct 0.25 marks for edge creep and misses visible from	Edge Creep area -	6	0.75
Correctly painted edge = 0.75 marks Deduct 0.25 marks for edge creep and misses visible from	Edge Creep area -	6	0.75
Correctly painted edge = 0.75 marks Deduct 0.25 marks for each missed area or over run visible	area - 1 mm x 20m	5	0.75
Correctly painted edge = 0.75 marks Deduct 0.25 marks for each missed area or over run visible	area - 1 mm x 20m	5	0.75
Correctly painted edge = 0.50 marks Deduct 0.25 marks for edge creep and misses	Edge Creep area -	6	0.50
Correctly painted edge = 0.50 marks Deduct 0.25 marks for edge creep and misses	Edge Creep area -	6	0.50
Correctly painted edge = 0.50 marks	area - 1 mm x 20m	5	0.50

Criterion  
A

Total  
Mark 20.00

Deduct 0.25 marks for each missed area or over run visible			
Correctly painted edge = 0.50 marks	area - 1 mm x 20mm	5	0.50
Deduct 0.25 marks for each missed area or over run visible			
Correctly painted angle = 0.50 marks	area - 1 mm x 20mm	5	0.50
Deduct 0.25 marks for heavy brush marks at a distance of 1m			
Correctly painted angle = 0.50 marks	area - 1 mm x 20mm	5	0.50
Deduct 0.25 marks for heavy brush marks at a distance of 1m			
Correctly painted angle = 0.5 marks	area- 1 mm x 20mm	5	0.50
Deduct 0.25 marks for heavy brush marks at a distance of 1m			
Correctly painted angle = 0.5 marks	Edge Creep area -	5	0.50
Deduct 0.25 marks for heavy brush marks at a distance of 1m			
Check for opacity of painted surface at a distance of 1 metre	50mm square	5	1.00
If no brush /roller marks visible from 1m = 1.5 marks	example needed	5	1.50
Deduct 0.25 marks per excessive area of brush marks or			
If complete area has been painted and there are no missed areas	Opacity area 50mm	5	0.50
Deduct 0.25 marks for each missed area visible from 1m.			
If no runs on surface = 1 mark	Runs 50mm square	6	1.00
Deduct 0.25 marks for each Run visible from 1m			
If no nibs found on any surface visible from 1m = 1 mark	Nibs x 50mm square	5	1.00
Deduct 0.25 marks for each nib found on surface			
If all door surface areas been kept clean = 0.5 marks	area 50mmx50mm	5	0.50
Deduct 0.25 marks for each mark on the surrounding area			
Check for opacity of painted surface at a distance of 1 metre	Opacity x 50mm square	6	0.50
Deduct 0.25 marks for each area with poor opacity			
If no brush /roller marks visible from 1m = 1 mark	example needed	5	1.00
Deduct 0.25 marks per excessive area of brush marks or			
If complete area has been painted and there are no missed areas	missed area 50mm	6	1.00
Deduct 0.25 marks for each missed area.			
If no runs on surface visible from 1m = 1 mark	Runs 50mm square	6	1.00
Deduct 0.25 marks for each Run.			
If no nibs found on any surface visible from 1m = 1 mark	Nibs x 50mm square	6	1.00
Deduct 0.25 marks for each nib found on surface			
Check for opacity of painted surface at a distance of 1 metre	Opacity area 50mm	6	0.50
Deduct 0.25 marks for each area with poor opacity			
Has surrounding areas been kept clean visible from 1m =	area 50mm x 50mm	1	0.50
Deduct 0.25 marks for each mark on the surrounding area			



does not meet the industry standard meets the industry standard meets the industry standard and exceeds it in some respects is excellent relative to the industry standard		6	2.00
Extra Aspect Description (Obj or Subj) OR Judgement Score Description (Judg only)	Requirement or Nominal Size (Obj Only)	WSSS Section	Max Mark
does not meet the industry standard meets the industry standard meets the industry standard and exceeds it in some respects is excellent relative to the industry standard		7	2.00
Check surface area for reference marks . Deduct 0.25 marks	Defect 1 mm x 100mm	7	1.00
Deduct 0.25 marks for trimming incorrectly e.g. over runs,	Defect 1 mm x 50mm	7	2.00
Deduct 0.25 marks for each air bubble	Defect 100mm x 100mm	7	1.00
Deduct 0.25 mark- glue on the front of the wallpaper and s	Defect 100mm x 100mm	7	1.00
Deduct 0.25 marks per overlaps on wallpaper joints	Defect per 100mm	7	2.00
Deduct 0.25 marks per gap between wallpaper joints	Defect per 100mm	7	2.00
Deduct 0.5 marks if the wallpaper has excessive overlap i	1-10mm	7	1.00
Measure the vertical alignment of the wallpaper start and f	+/- 1mm	7	1.50
Measure the distance of wallpaper from the top right hand	+/- 1 mm	1	1.00
If not within +/- 2 mm = 0 marks			
Measure the Horizontal alignment of the pattern over a dis	+/- 1mm	7	0.50
Deduct 0.25 marks for trimming incorrectly e.g. over runs,	Defect 1 mm x 50mm	7	2.00
Extra Aspect Description (Obj or Subj) OR Judgement Score Description (Judg only)	Requirement or Nominal Size (Obj Only)	WSSS Section	Max Mark

**Criterion B**      **Total Mark**      **17.00**

**Criterion C**      **Total Mark**      **10.00**

Has the competitor completed their information sheet to s		2	1.00
If the competitor has NOT provided the following informat			
If the competitor has NOT completed the Layout for the fre			
The colour in the free technique conforms with the colour		2	1.00
The whole dimensional area is covered with a manual tech	YES/NO	2	2.00
The execution in the free technique is free of defects view	Defects area 50mm	2	2.00
Has the competitor completed their project according to th		2	2.00
If the competitor has NOT completed their project accordi			
		8	2.00
The artistic composition has major defects and is not harm			
The artistic composition harmonises with the main design			
The artistic composition has minor defects using sample pr			
The artistic composition is free of defects using sample pr			
Extra Aspect Description (Obj or Subj) OR Judgement Score Description (Judg only)	Requirement or Nominal Size (Obj Only)	WSSS Section	Max Mark
Check that all areas are coated with the correct colours. D		4	0.50
Lines are straight within specification and no edge creep. I	Edge Creep area	4	1.50
Check Opacity of the Lettering viewed at a distance of 1 m	Opacity area 20mm	9	1.00
Check surface area for reference marks including cut and	Per 20mm	9	0.50
Check Opacity of the Lettering viewed at a distance of 1 m	Opacity area 20mm	9	0.50
Marking Team to select random position for a measureme	+/- 1 mm	1	0.50
Marking Team to select random position for a measureme	+/- 1 mm	9	0.50
Is 2015 Horizontal. If measurement is within +/- 1 mm = 0.	+/- 1 mm	9	0.50
Is Brazil Horizontal. If measurement is within +/- 1 mm = 0	+/- 1 mm	9	0.50
Check surface area for reference marks including cut mar	Per 20mm	5	2.00
Check that all areas are coated with the correct colours. D	Per section	4	1.00
Lines are straight no heavy brush marks viewed at a dista	+/- 1 mm	9	2.00
Lines are straight no heavy brush marks viewed at a dista	+/- 1 mm	9	2.00
Lines are straight no heavy brush marks viewed at a dista	+/- 1 mm	9	2.00
Check Opacity of the design viewed at a distance of 1 m	Opacity area 20mm	8	2.00

Criterion D      Total Mark      36.00

Check Opacity of the design viewed at a distance of 1 metre	Opacity area 20mm	3	2.00
Check for sharply painted corners. Viewed from 1m. Deduct 0.50 mark for each corner not meeting specification		8	2.00
Check for sharply painted corners. Viewed from 1m. Deduct 0.50 mark for each corner not meeting specification		8	2.00
Check for sharply painted corners. Viewed from 1m. Deduct 0.50 mark for each corner not meeting specification		8	2.00
Marking Team to select a random position for a measurement +/- 1 mm		4	1.00
Marking Team to select a random position for a measurement +/- 1 mm		4	1.00
Marking Team to select a random position for a measurement +/- 1 mm		4	1.00
Marking Team to select a random position for a measurement +/- 1 mm		8	1.00
Marking Team to select a random position for a measurement +/- 1 mm		1	1.00
Marking Team to select a random position for a measurement +/- 1 mm		1	1.00
Marking Team to select a random position for a measurement +/- 1 mm		1	1.00
Check Opacity of the design viewed at a distance of 1 metre	Opacity area 20mm	8	2.00
		2	2.00
does not meet the industry standard			
meets the industry standard			
meets the industry standard and exceeds it in some respects			
is excellent relative to the industry standard			
Extra Aspect Description (Obj or Subj) OR Judgement Score Description (Judg only)	Requirement or Nominal Size (Obj Only)	WSSS Section	Max Mark
The time taken to draw & apply paint in mural test will be recorded. All other competitors will be ranked in order of finishing, with the fastest time receiving the highest mark. NOTE: Competitors who finish simultaneously will receive the same mark.		5	4.00
Check surface area for defects including nibs and reference marks. Deduct 0.50 mark for each defect area 50mm or more.	Defects area 50mm or more	3	1.00
Check Opacity viewed at a distance of 1 metre. Deduct 0.50 mark for each area not meeting specification.	Opacity area 50mm or more	3	1.00
Lines are straight within specification and no edge creep or heavy edge creep.	Edge Creep area - 50mm or more	5	1.50
Check for sharply painted corners no edge creep or heavy edge creep.	Edge Creep / heavy edge creep	5	1.50
If Colour match is within specification = 3 marks. Deduct 0.50 mark for each area not meeting specification.	As per sample	4	2.00
If Colour graduation is within specification = 2 marks. Deduct 0.50 mark for each area not meeting specification.	As per sample	4	2.00

Criterion E      Total Mark      17.00

Marking Team to select a random position for a measurement	+/- 1 mm	5	1.00
Marking Team to select a random position for a measurement	+/- 1 mm	8	1.00
Marking Team to select a random position for a measurement	+/- 1 mm	8	1.00
		3	1.00
does not meet the industry standard			
meets the industry standard			
meets the industry standard and exceeds it in some respects			
is excellent relative to the industry standard			

Competition      Total  
Mark      100.00